

# COB LIGHT



**COB Deep Light**  
COOL WHITE | NEUTRAL WHITE  
WARM WHITE

10W	₹748
20W	₹1136
30W	₹1638



**COB Reflector Series**  
COOL WHITE | NEUTRAL WHITE  
WARM WHITE

7W	₹678
12W	₹780
Rose Gold   Gun Metal   Matte Black Chrome   Matt White	



**Reflector Series Rimless**  
COOL WHITE | NEUTRAL WHITE  
WARM WHITE

7W	₹748
12W	₹934
Rose Gold   Gun Metal   Matte Black Chrome   Matt White	



**Surface Light Reflector Series**  
COOL WHITE | NEUTRAL WHITE  
WARM WHITE

7W	₹564
12W	₹726
20W	₹1050



**Linear Spot**  
COOL WHITE | NEUTRAL WHITE  
WARM WHITE

10W	₹740
20W	₹1360



**360 DEGREE**  
COOL WHITE | NEUTRAL WHITE  
WARM WHITE

10W	₹1208
20W	₹1616
30W	₹1999



**FOCUS LIGHT**  
COOL WHITE | NEUTRAL WHITE  
WARM WHITE

20W	₹1262
30W	₹1492
40W	₹2322



**FOCUS LIGHT**  
COOL WHITE | NEUTRAL WHITE  
WARM WHITE

10W	₹898
20W	₹1096
30W	₹1378



**Hanging/Long Surface Light**  
COOL WHITE | NEUTRAL WHITE  
WARM WHITE

12W	₹1262
-----	-------



**COB Spot Light**  
COOL WHITE | NEUTRAL WHITE  
WARM WHITE

3W	₹346
5W	₹436
10W	₹672
15W	₹874
30W	₹1524



**Zoom Light**  
COOL WHITE | NEUTRAL WHITE  
WARM WHITE

12W	₹890
20W	₹1096
30W	₹1754
40W	₹1806



**Cob Recessed**  
All White/All Black

7W	₹329
12W	₹529

# PANEL LIGHT



Slim Panel Light  
Recessed Round

3W	₹168
6W	₹240
9W	₹256
12W	₹322
15W	₹354
20W	₹445
24W	₹660



Slim Panel Light  
Recessed Square

3W	₹168
6W	₹240
9W	₹256
12W	₹322
15W	₹354
20W	₹445
24W	₹660



Deep Recessed

12W	₹453
18W	₹588
24W	₹688

## Cob Focus Light



PLAIN



RHOMBUS



Body Colour  
Black & White

Item	Model No.	Power	Input Volt.	Outer Size (mm)	COB Size	Material	CCT	Beam Angle
20W Focus Light PLAIN	FOCUS20	20W	90-265V	85 x 135	17mm	Aluminum	2700-6500	24°
30W Focus Light PLAIN	FOCUS30	30W	90-265V	85 x 160	17mm	Aluminum	2700-6500	24°
40W Focus Light PLAIN	FOCUS40	40W	90-265V	110 x 160	17mm	Aluminum	2700-6500	24°
10W Focus Light RHOMBUS	FOCUSRHOMBUS10	10W	90-265V	70 x 116	11mm	Aluminum	2700-6500	24°
20W Focus Light RHOMBUS	FOCUSRHOMBUS20	20W	90-265V	90 x 116	17mm	Aluminum	2700-6500	24°
30W Focus Light RHOMBUS	FOCUSRHOMBUS30	30W	90-265V	90 x 130	17mm	Aluminum	2700-6500	24°

- Available in Cool White, Neutral White, Warm White.
- SKD, Housing & Spares also available.



White + Rose Gold



White + Gun Metal



White + Matte Black



White + Chrome



White + Matt White



Black + Rose Gold



Black + Gun Metal



Black + Matte Black



Black + Chrome



Black + Matt White

## Cob Recessed Colored Reflector

Body Colour  
**Black & White**

**DETACHABLE** **TILTABLE**

**ANTI  
GLARE**

Item	Model No.	Power	Input Volt.	Outer Size (mm)	Hole Size (mm)	COB Size	Material	CCT	Beam Angle
7W COB Light	COBREF07	7W	90-265V	65 x 60	Φ 55	11mm	Aluminum	2700-6500	24°
12W COB Light	COBREF12	12W	90-265V	85 x 76	Φ 75	11mm	Aluminum	2700-6500	24°

Reflector Options: Gun Metal / Rose Gold / Matt Black / Matt White / Chrome



All White



Gun Metal

CEILING



Chrome



Rose Gold



Matt Black

## Cob Recessed - Rimless Colored Reflector

**DETACHABLE** **TILTABLE**

**ANTI  
GLARE**

Item	Model No.	Power	Input Volt.	Outer Size (mm)	Hole Size (mm)	COB Size	Material	CCT	Beam Angle
7W COB Light	RIMLESS-COBREF07	7W	90-265V	81 x 70	Φ 55	11mm	Aluminum	2700-6500	24°
12W COB Light	RIMLESS-COBREF12	12W	90-265V	101 x 85	Φ 75	11mm	Aluminum	2700-6500	24°

Reflector Options: All White / Gun Metal / Rose Gold / Matt Black / Chrome

- Available in Cool White, Neutral White, Warm White
- SKD, Housing & Spares also available.





Body Colour  
**Black & White**

Item	Model No.	Power	Input Volt.	Outer Size (mm)	COB Size	Material	CCT	Beam Angle
12W COB Hanging/Long Surface Light	COBHANGING12	12W	90-265V	325 x 55	11mm	Aluminum	2700-6500	15°
12W COB Hanging Pendant Light	COBSPOTPENDANT12	12W	90-265V	425 x 65	11mm	Aluminum	2700-6500	15°

- Available in Cool White, Neutral White, Warm White.
- SKD, Housing & Spares also available.





Rose Gold + White



Rose Gold + Black



Champagne Gold + White



Champagne Gold + Black



Gun Metal + White



Gun Metal + Black



Chrome + White



Chrome + Black

Body Colour  
**Black & White**

**ANTI  
GLARE**

## Cob Surface Colored Reflector

Item	Model No.	Power	Input Volt.	Outer Size (mm)	COB Size	Material	CCT	Beam Angle
7W COB Surface	COBSMREF07	7W	90-265V	53 x 88	11mm	Aluminum	2700-6500	24°
12W COB Surface	COBSMREF12	12W	90-265V	73 x 105	11mm	Aluminum	2700-6500	24°
20W COB Surface	COBSMREF20	20W	90-265V	93 x 110	11mm	Aluminum	2700-6500	24°

Reflector Options: Gun Metal / Rose Gold / Champagne Gold / Chrome

## Cob Surface 360° Adjustable

Body Colour  
**Black & White**



Item	Model No.	Power	Input Volt.	Outer Size (mm)	COB Size	Material	CCT	Beam Angle
10W COB Aadjustable	COBSURFACE10ADJ	10W	90-265V	100 x 80	11mm	Aluminum	2700-6500	24°
20W COB Aadjustable	COBSURFACE20ADJ	20W	90-265V	110 x 95	11mm	Aluminum	2700-6500	24°
30W COB Aadjustable	COBSURFACE30ADJ	30W	90-265V	115 x 110	17mm	Aluminum	2700-6500	24°

## Cob Surface

Body Colour  
**Black & White**



Item	Model No.	Power	Input Volt.	Outer Size (mm)	COB Size	Material	CCT	Beam Angle
5W COB Surface Light	COBSURFACE05	5W	90-265V	60 x 76	11mm	Aluminum	2700-6500	24°
10W COB Surface Light	COBSURFACE10	10W	90-265V	75 x 100	11mm	Aluminum	2700-6500	24°
20W COB Surface Light	COBSURFACE20	20W	90-265V	100 x 100	11mm	Aluminum	2700-6500	30°
30W COB Surface Light	COBSURFACE30	30W	90-265V	120 x 120	17mm	Aluminum	2700-6500	30°

- Available in Cool White, Neutral White, Warm White.
- SKD, Housing & Spares also available.

### Cob Recessed All White/All Black

**ANTI  
GLARE**

Body Colour  
Black & White



Item	Model No.	Power	Input Volt.	Outer Size (mm)	Hole Size (mm)	COB Size	Material	CCT	Beam Angle
7W COB Light	COBDL-WB07	7W	90-265V	65 x 60	Φ 55	11mm	Aluminum	2700-6500	24°
12W COB Light	COBDL-WB12	12W	90-265V	85 x 76	Φ 75	11mm	Aluminum	2700-6500	24°

### Cob Spot

**TILTABLE**



Item	Model No.	Power	Input Volt.	Outer Size (mm)	Hole Size (mm)	COB Size	Material	CCT	Beam Angle
3W COB Downlight	COBSPOT03	3W	90-265V	68 x 50	Φ 50	11mm	Aluminum	2700-6500	24°
5W COB Downlight	COBSPOT05	5W	90-265V	85 x 65	Φ 70	11mm	Aluminum	2700-6500	24°
10W COB Downlight	COBSPOT10	10W	90-265V	110 x 70	Φ 90	11mm	Aluminum	2700-6500	24°
15W COB Downlight	COBSPOT15	15W	90-265V	135 x 80	Φ 115	11mm	Aluminum	2700-6500	24°
30W COB Downlight	COBSPOT30	30W	90-265V	160 x 110	Φ 135	17mm	Aluminum	2700-6500	24°

### Cob Deep

**TILTABLE**



Item	Model No.	Power	Input Volt.	Outer Size (mm)	Hole Size (mm)	COB Size	Material	CCT	Beam Angle
10W COB Downlight	COBDEEP10	10W	90-265V	100 x 100	Φ 85	11mm	Aluminum	2700-6500	24°
20W COB Downlight	COBDEEP20	20W	90-265V	120 x 130	Φ 100	11mm	Aluminum	2700-6500	24°
30W COB Downlight	COBDEEP30	30W	90-265V	150 x 120	Φ 130	17mm	Aluminum	2700-6500	30°

- Available in Cool White, Neutral White, Warm White.
- SKD, Housing & Spares also available.

### Cob Recessed All White/All Black

**ANTI  
GLARE**

Body Colour  
Black & White



Item	Model No.	Power	Input Volt.	Outer Size (mm)	Hole Size (mm)	COB Size	Material	CCT	Beam Angle
7W COB Light	COBDL-WB07	7W	90-265V	65 x 60	Φ 55	11mm	Aluminum	2700-6500	24°
12W COB Light	COBDL-WB12	12W	90-265V	85 x 76	Φ 75	11mm	Aluminum	2700-6500	24°

### Cob Spot

**TILTABLE**



Item	Model No.	Power	Input Volt.	Outer Size (mm)	Hole Size (mm)	COB Size	Material	CCT	Beam Angle
3W COB Downlight	COBSPOT03	3W	90-265V	68 x 50	Φ 50	11mm	Aluminum	2700-6500	24°
5W COB Downlight	COBSPOT05	5W	90-265V	85 x 65	Φ 70	11mm	Aluminum	2700-6500	24°
10W COB Downlight	COBSPOT10	10W	90-265V	110 x 70	Φ 90	11mm	Aluminum	2700-6500	24°
15W COB Downlight	COBSPOT15	15W	90-265V	135 x 80	Φ 115	11mm	Aluminum	2700-6500	24°
30W COB Downlight	COBSPOT30	30W	90-265V	160 x 110	Φ 135	17mm	Aluminum	2700-6500	24°

### Cob Deep

**TILTABLE**



Item	Model No.	Power	Input Volt.	Outer Size (mm)	Hole Size (mm)	COB Size	Material	CCT	Beam Angle
10W COB Downlight	COBDEEP10	10W	90-265V	100 x 100	Φ 85	11mm	Aluminum	2700-6500	24°
20W COB Downlight	COBDEEP20	20W	90-265V	120 x 130	Φ 100	11mm	Aluminum	2700-6500	24°
30W COB Downlight	COBDEEP30	30W	90-265V	150 x 120	Φ 130	17mm	Aluminum	2700-6500	30°

- Available in Cool White, Neutral White, Warm White.
- SKD, Housing & Spares also available.



## Linear Spot Downlight



Item	Model No.	Power	Input Volt.	Outer Size (mm)	Hole Size (mm)	LED	CRI
10W Linear Spot 40x140mm	LINEARSPOT40140	10W	90-265V	155 x 53	40 x 140	2W 3030	>75
20W Linear Spot 40x270mm	LINEARSPOT40270	20W	90-265V	287 x 53	40 x 270	2W 3030	>75

## Cob Zoom

Body Colour  
Black & White




Item	Model No.	Power	Input Volt.	Outer Size (mm)	Hole Size (mm)	COB Size	Material	CCT	Beam Angle
12W ZOOM Light	ZOOM12	12W	90-265V	104 x 60	Φ 95	11mm	Aluminum	2700-6500	24°
20W ZOOM Light	ZOOM20	20W	90-265V	135 x 115	Φ 120	11mm	Aluminum	2700-6500	24°
30W ZOOM Light	ZOOM30	30W	90-265V	165 x 150	Φ 150	17mm	Aluminum	2700-6500	36°
40W ZOOM Light	ZOOM40	40W	90-265V	165 x 150	Φ 150	17mm	Aluminum	2700-6500	36°

## Cob Chip



Item	Model No.	Power	CHIP	Input Volt.	COB Size	Current	CCT
3W COB CHIP	COB03	3W	EPISTAR	10V	11mm	300mA	2700-6500
5W COB CHIP	COB05	5W	EPISTAR	16V	11mm	300mA	2700-6500
7W COB CHIP	COB07	7W	EPISTAR	23V	11mm	300mA	2700-6500
10W COB CHIP	COB10	10W	EPISTAR	32V	11mm	300mA	2700-6500
12W COB CHIP	COB12	12W	EPISTAR	40V	11mm	300mA	2700-6500
15W COB CHIP	COB15	15W	EPISTAR	48V	11mm	300mA	2700-6500
20W COB CHIP	COB20	20W	EPISTAR	64V	11/17mm	300mA	2700-6500
30W COB CHIP	COB30	30W	EPISTAR	48V	17mm	600mA	2700-6500
40W COB CHIP	COB40	40W	EPISTAR	32V	17mm	1200mA	2700-6500
50W COB CHIP	COB50	50W	EPISTAR	32V	40x46mm	1500mA	2700-6500
50W RGB CHIP	SVT-RGBCHIP50	50W	EPISTAR	80V	40x46mm	600mA	RGB

- Available in Cool White, Neutral White, Warm White, Red, Green, Blue & Pink
- SKD, Housing & Spares also available.



**Side-Lit**  
Type



**Back-Lit**  
Type



**Surface**  
Type

**2x2 Commercial Ceiling Panel Light**

Type	Model No.	Power	Size (mm)	Height (mm)	LED	No. of LED	Lumens*	Input Voltage
Side-Lit	SLP20240W	40W	600 x 600	10.5	2835	200 Pcs. 0.2W	≥ 3600	90-265V
Back-Lit	BLP20248W	48W	600 x 600	30	2835	48 Pcs. 1.5W	≥ 4400	90-265V

**AVAILABLE IN SURFACE MOUNT ALSO**

**Aluminium  
BACK-LIT**

**Deep Recessed**



Item	Model No.	Power	Input Volt.	Outer Size (mm)	Hole Size (mm)	No. of LED	Lumens*
12W Backlit Downlight	DEEP-BL12	12W	90-265V	Φ 120x50	Φ 110	60	1200
18W Backlit Downlight	DEEP-BL18	18W	90-265V	Φ 155x55	Φ 145	90	1800
24W Backlit Downlight	DEEP-BL24	24W	90-265V	Φ 175x55	Φ 165	120	2400

- Available in Cool White, Neutral White & Warm White.
- SKD, Housing & Spares also available.

### Aluminium Slim Recessed Round



Item	Model No.	Power	Input Volt.	Outer Size (mm)	Hole Size (mm)	No. of LED	Lumens*
3W Panel Light	SDL03AL	3W	90-265V	85 x 14	Φ 70	15	300
6W Panel Light	SDL06AL	6W	90-265V	120 x 14	Φ 100	30	600
9W Panel Light	SDL09AL	9W	90-265V	120 x 14	Φ 100	45	900
12W Panel Light	SDL12AL	12W	90-265V	165 x 14	Φ 150	60	1200
15W Panel Light	SDL15AL	15W	90-265V	165 x 14	Φ 150	75	1500
20W Panel Light	SDL20AL	20W	90-265V	225 x 14	Φ 200	100	2000
24W Panel Light	SDL24AL	24W	90-265V	300 x 14	Φ 275	120	2400

### Recessed Square

Item	Model No.	Power	Input Volt.	Outer Size (mm)	Hole Size (mm)	No. of LED	Lumens*
3W Panel Light	SDL03ALSQ	3W	90-265V	85 x 85 x 14	70 x 70	15	300
6W Panel Light	SDL06ALSQ	6W	90-265V	120 x 120 x 14	100 x 100	30	600
9W Panel Light	SDL09ALSQ	9W	90-265V	120 x 120 x 14	100 x 100	45	900
12W Panel Light	SDL12ALSQ	12W	90-265V	165 x 165 x 14	150 x 150	60	1200
15W Panel Light	SDL15ALSQ	15W	90-265V	165 x 165 x 14	150 x 150	75	1500
20W Panel Light	SDL20ALSQ	20W	90-265V	225 x 225 x 14	200 x 200	100	2000
24W Panel Light	SDL24ALSQ	24W	90-265V	300 x 300 x 14	275 x 275	120	2400

• Surface Mount Available from 6W-24W

### Aluminium Trim Recessed Round



Item	Model No.	Power	Input Volt.	Outer Size (mm)	Hole Size (mm)	No. of LED	Lumens*
9W TRIM Panel Light	TRDL09	9W	90-265V	Φ 130	Φ 105	45	900
15W TRIM Panel Light	TRDL15	15W	90-265V	Φ 170	Φ 155	75	1500
20W TRIM Panel Light	TRDL20	20W	90-265V	Φ 225	Φ 205	100	2000

### Recessed Square

Item	Model No.	Power	Input Volt.	Outer Size (mm)	Hole Size (mm)	No. of LED	Lumens*
9W TRIM Panel Light	TRDL09SQ	9W	90-265V	Φ 130	Φ 105	45	900
15W TRIM Panel Light	TRDL15SQ	15W	90-265V	Φ 170	Φ 155	75	1500
20W TRIM Panel Light	TRDL20SQ	20W	90-265V	Φ 225	Φ 205	100	2000

- Available in Cool White, Neutral White & Warm White.
- SKD, Housing & Spares also available.